Pediatric Asthma Management

Controller medications in children 6 and under

		Low (step 2)	Medium (step 3)	Adverse Effects
Beclomethasone DP Common brand name: QVAR # doses: 200 Age group approved for use: > 5 years Strengths: 50, 100ug		50 ug BID \$40 per 200 doses (\$10 - \$95)	100 ug BID \$80 per 200 doses (\$10 - \$95)	
Ciclesonide Common brand name: Alvesco # doses: 30 or 120 Age group approved for use: > 6 years Strengths: 100, 200ug	About	100 ug DAILY \$52 per 120 doses (\$15 - \$85)	200 ug DAILY \$86 per 120 doses (\$15 - \$85)	Headache, upper respiratory tract infection, pharyngitis, dysphonia, oral thrush (can be reduced by rinsing mouth or using spacer device with
Fluticasone propionate Common brand name: Flovent # doses: 120 Age group approved for use: > 1 year Strengths: 50, 125, 250ug	*Hallous's	50 ug BID \$30 per 120 doses (\$15- \$95)	100-125 ug BID \$43 per 120 doses (\$15- \$95)	an MDI)
Montelukast Should always be secondary to ICS (not primary line) Common brand name: Singulair Either tablets or granules Age group approved for use: > 2 years Strengths: 4, 5, 10mg	APO M 10	4 mg DAILY Chewable: \$35 - \$40 Granules: \$45 Tablet: \$60		Neuropsychiatric AE: irritability, aggressiveness, anxiety, sleep disturbance including suicidal thoughts/ actions (up to 16% of pediatric patients; typically occurred within 2 weeks of initiation)

Controller medications in children 6-18 years old

		Low (step 2)	Medium (step 3)	Adverse Effects
Beclomethasone DP Common brand name: QVAR # doses: 200 Strengths: 50, 100ug		50-100 ug BID \$40-80 per 200 doses (\$10 - \$95)	200 ug BID	
Ciclesonide Common brand name: Alvesco # doses: 30 or 120 Strengths: 100, 200ug	The state of the s	100 ug DAILY \$52 per 120 doses (\$15 - \$85)	200-400 ug DAILY \$86 per 120 doses (\$15 - \$85)	
Fluticasone propionate Common brand name: Flovent # doses: 120 Strengths: 50, 125, 250ug	*Fighter's	50-100 ug BID \$30 per 120 doses (\$15- \$95)	125 ug BID \$43 per 120 doses (\$15- \$95)	Headache, upper respiratory tract infection, pharyngitis, dysphonia, oral thrush (can be reduced by rinsing mouth or using spacer device with an MDI)
Fluticasone fumarate Common brand name: Arnuity # doses: 120 Strengths: 100, 200ug Elipta			100ug OD \$46 per 30 doses (\$45 - \$90)	u,
Budesonide Common brand name: Pulmicort Strengths: 100, 200, 400ug	Potential Property of the Parket Park	100-200ug BID \$36-74 per 200 doses (\$10 - \$95)	200-400ug BID or 400ug DAILY \$74-107 per 200 doses (\$10 - \$95)	

Mometasone

Common brand name: Asmanex

Strengths: 100, 200,

400ug



100-200ug DAILY \$40

(\$20 - \$80)

200ug BID or 400ug DAILY \$40-80

(\$20 - \$80))

Headache, upper respiratory tract infection, pharyngitis, dysphonia, oral thrush (can be reduced by rinsing mouth or using spacer device with an MDI)

Montelukast

Should always be secondary to ICS (not primary line)

Common brand name: Singulair

Either tablets or granules

Strengths: 4, 5, 10mg





5mg if 6-14yo

10mg if ≥ 15yo

Chewable: \$35 - \$40

Granules: \$45

Tablet: \$60

Neuropsychiatric AE: irritability, aggressiveness, anxiety, sleep disturbance including suicidal thoughts/ actions (up to 16% of pediatric patients; typically occurred within 2 weeks of initiation)

Controller medications (inhaled steroid + long acting beta agonist) available for 6-18 years old

		Low (step 3)	Adverse Effects
*Budesonide/Formoterol Common brand name: Symbicort 100/6, 200/6	Marie Constitution of the	100-200ug BID, or 200-400 DAILY \$73-95 per 120 doses (\$20 - \$95)	
Fluticasone/salmeterol Common brand name: Advair *MDI 125/25, 250/25 Diskus 100/50, 250/50, 500/50		100-125ug BID For 120 dose MDI: 125/25mcg: \$118 250/25mcg: \$168 (\$60 - \$170) For 60 dose DPI: 100/50mcg: \$46 250/50mcg: \$55 500/50mcg: \$78 (\$45 - \$80)	Headache, upper respiratory tract infection, pharyngitis, dysphonia, oral thrush (can be reduced by rinsing mouth or using spacer device with an MDI)
*Mometasone/formoterol Common brand name: Zenhale 50/5, 100/5, 200/5	"Zenhale"	100ug BID 100/5mcg: \$104 200/5mcg: \$128 (\$105-\$130)	

^{*}Approved for use for 12yo and older

